



EMT-B PRACTICAL EXAMINATION BAG-VALVE-MASK AND AIRWAY MANAGEMENT

<i>Coordinator Use Only</i>		
	Pass	Fail
# _____	<input type="checkbox"/>	<input type="checkbox"/>
# _____	<input type="checkbox"/>	<input type="checkbox"/>
Signature: _____		

Date: _____ Course: _____ Location: _____

Candidate # _____ Name: _____

Candidate # _____ Name: _____

Scenario #: _____
TL #: _____

	Points Awarded <i>(one point per line)</i>
Takes or verbalizes body substance isolation precautions/scene safety/additional resources (S.A.)	
Verbalizes general impression of patient	
Determines responsiveness/level of consciousness	
Opens airway using appropriate method based on scenario (S.A.)	
Assesses breathing	
Determines need to assist or provide ventilations (S.A. <i>if missed</i>)	
Determines need for an airway adjunct and/or suctioning and measures appropriately (NOTE: OPA or NPA can be sized and inserted here or after completion of two initial breaths and pulse check)	
Inserts airway adjunct and/or suction properly (S.A. <i>if inappropriate or dangerous technique</i>)	
Selects appropriate size mask	
Creates a proper mask-to-face seal	
Ventilates patient with two breaths and with enough volume to produce visible chest rise (S.A. <i>if delayed more than 30 seconds to first ventilation; S.A. if ventilations with properly working manikin fail to produce visible chest rise</i>)	
Assesses pulse	
Ventilates patient at proper rate (S.A.)	
Connects or verbalizes connecting reservoir and oxygen (S.A. <i>if oxygen supplement not done or verbalized</i>)	
Adjusts or verbalizes adjusting liter flow to 15 liters/minute or greater	
After at least 30 seconds of ventilations by the team leader (T.L.), the candidates must switch to allow both to demonstrate ventilation	
Second candidate ensures that the airway remains open (S.A. <i>if ventilations are interrupted for more than 20 seconds throughout scenario</i>)	
Creates a proper mask-to-face seal	
Second candidate resumes ventilations at proper volume and rate (S.A. <i>if rate is incorrect; S.A. if ventilations with properly working manikin fail to produce visible chest rise.</i>)	
<i>Total possible points: 18; 12 are required to pass</i> TOTAL:	

Significant Actions: *(NOTE: The rationale for checking any significant action must be documented on this form)*

- Did not take or verbalize body substance isolation precautions/scene safety
- Did not assess breathing and determine that the need to ventilate
- Did not ventilate the patient within 30 seconds of starting the scenario
- Performed an inappropriate or dangerous airway adjunct and/or suctioning technique

- Did not open the airway
- Did not provide high concentration of oxygen
- Did not provide proper rate or volume for ventilations
- Interrupted ventilations for more than 20 seconds

Evaluator Comments:

Examiner Name: _____

Signature: _____



EMT-B PRACTICAL EXAMINATION BLEEDING CONTROL/SHOCK MANAGEMENT

<i>Coordinator Use Only</i>		
	Pass	Fail
# _____	<input type="checkbox"/>	<input type="checkbox"/>
# _____	<input type="checkbox"/>	<input type="checkbox"/>
Signature: _____		

Date: _____ Course: _____ Location: _____

Candidate # _____ Name: _____

Candidate # _____ Name: _____

TL #: _____

	Points Awarded <i>(one point per line)</i>
Takes or verbalizes body substance isolation precautions/scene safety (S.A.) (<i>NOTE: One point is awarded if candidate considered this in the trauma assessment scenario</i>)	
Quickly exposes/inspects the margins of the wound	
Applies direct pressure to the wound and adds dressing	
Elevates the extremity and adds pressure bandage (<i>S.A. if tourniquet is applied</i>)	
NOTE: The examiner must now inform the candidate that the wound continues to bleed	
Applies an additional dressing material	
NOTE: The examiner must now inform the candidate that the wound still continues to bleed. The second dressing does not control the bleeding	
Locates and applies pressure to appropriate arterial pressure point (<i>S.A. if bleeding is not controlled within 3 minutes of starting scenario</i>)	
NOTE: The examiner must now inform the candidate that the bleeding is controlled and that the patient is showing signs and symptoms indicative of hypoperfusion	
Properly positions the patient	
Ensures high-concentration oxygen (S.A.)	
Initiates steps to prevent heat loss from the patient	
Indicates need for immediate transportation and constant wound monitoring	
<i>Total possible points: 10; 7 are required to pass</i> TOTAL:	

Significant Actions (S.A.): *(NOTE: The rationale for checking any significant action must be documented on this form)*

Failure to verbalize/take BSI precautions/scene safety
 Applied tourniquet

Did not ensure high concentration of oxygen
 Did not control hemorrhage within 3 minutes of starting the scenario

Evaluator Comments:

Examiner Name: _____

Signature: _____



EMT-B PRACTICAL EXAMINATION BLOOD PRESSURE & PULSE

<i>Coordinator Use Only</i>	
Pass	Fail
# _____	<input type="checkbox"/> <input type="checkbox"/>
Signature: _____	

Date: _____ **Course:** _____ **Location:** _____

Candidate # _____ **Name:** _____

	Points Awarded (one point per line)
Takes or verbalizes body substance isolation precautions/scene safety (<i>NOTE: One point is awarded if candidate considered this in the medical scenario</i>)	
Obtains pulse by palpating radial artery (<i>S.A. if more than 10 bpm off</i>)	
Places BP cuff in proper location of arm	
Inflates the BP cuff appropriately with bulb valve closed	
Palpates for radial or brachial pulse to disappear and then inflates 20-30 mmHg above that point	
Places stethoscope properly over artery for auscultation	
Releases air, listening for the sound of the pulse to return and then fade	
Obtains BP (<i>S.A. if 10 or more mm Hg off</i>)	
<i>Total possible points: 8; 5 are required to pass</i> TOTAL:	

Significant Actions (S.A.): (*NOTE: The rationale for checking any significant action must be documented on this form*)

- ___ Pulse more than 10 bpm off
- ___ BP more than 10 mmHg off

Evaluator Comments:

Candidate BP: ____/____ Pulse: _____ Actual BP: ____/____ Pulse: _____

Examiner Name: _____ **Signature:** _____



EMT-B PRACTICAL EXAMINATION EVISCERATION

<i>Coordinator Use Only</i>		
	Pass	Fail
# _____	<input type="checkbox"/>	<input type="checkbox"/>
# _____	<input type="checkbox"/>	<input type="checkbox"/>
Signature: _____		

Date: _____ Course: _____ Location: _____

Candidate # _____ Name: _____

Candidate # _____ Name: _____

TL #: _____

	Points Awarded <i>(one point per line)</i>
Takes or verbalizes body substance isolation precautions/scene safety (<i>S.A.</i>) (<i>NOTE: One point is awarded if candidate considered this in the trauma assessment scenario</i>)	
Places patient into supine position with knees flexed	
___ A. Covers wound with occlusive (non-adherent) dressing and secures dressing OR ___ B. Moistens clean, sterile packages of 4X4 or large trauma dressings with sterile saline or sterile water and places over the viscera <i>(S.A. if a dry dressing is used; S.A. if the eviscerated organs are cleaned; S.A. if candidate attempts to reinsert organs)</i>	
___ A. Covers occlusive dressing with materials to prevent heat loss OR ___ B. Loosely covers the moistened 4X4 or trauma dressing with an occlusive dressing large enough to extend beyond the wound edges and secures dressing	
Bandages trauma pads to prevent heat loss (<i>S.A. if bandage puts pressure onto the evisceration</i>)	
Treat for hypoperfusion, provide high concentration oxygen	
Places a pillow or blanket under the knees for support and comfort	
Verbalize moving patient to board	
<i>Total possible points: 8; 5 are required to pass</i> TOTAL:	

Significant Actions (S.A.): *(NOTE: The rationale for checking any significant action must be documented on this form)*

- Failure to verbalize/take BSI precautions/scene safety
- Bandage puts pressure onto evisceration
- Manually reinserts organs

- Attempts to clean eviscerated organs
- Uses a dry dressing on the wound

Evaluator Comments:

Examiner Name: _____

Signature: _____



EMT-B PRACTICAL EXAMINATION HIP INJURY

Coordinator Use Only		
	Pass	Fail
# _____	<input type="checkbox"/>	<input type="checkbox"/>
# _____	<input type="checkbox"/>	<input type="checkbox"/>
Signature: _____		

Date: _____ Course: _____ Location: _____

Candidate # _____ Name: _____

Candidate # _____ Name: _____

TL #: _____

	Points Awarded <i>(one point per line)</i>
Takes or verbalizes body substance isolation precautions/scene safety (S.A.) <i>(NOTE: One point is awarded if candidate considered this in the trauma assessment scenario)</i>	
Direct manual stabilization of hip (S.A. <i>if no manual stabilization is provided or if it is let go during the scenario</i>)	
Assesses distal pulse, motor, or sensation (S.A.)	
Gathers equipment & supplies for immobilization	
Places cravats under the legs (two above and two below the knee)	
Places blanket between the legs	
Secures cravats	
Sizes orthopedic stretcher	
Places patient onto orthopedic stretcher (S.A. <i>if excessive movement of hip throughout scenario; S.A. if immobilization allows for excessive movement of hip</i>)	
Reassess distal pulse, motor, or sensation (S.A.)	
<i>Total possible points: 10; 7 are required to pass</i> TOTAL:	

Significant Actions (S.A.): *(NOTE: The rationale for checking any significant action must be documented on this form)*

- Failure to verbalize/take BSI precautions/scene safety
- Excessive movement of hip throughout scenario
- Did not assess distal pulse, motor, or sensation before splinting

- Immobilization allows for excessive movement of hip
- Manual stabilization is not maintained
- Did not reassess distal pulse, motor, or sensation after splinting

Evaluator Comments:

Examiner Name: _____

Signature: _____

07/2006



EMT-B PRACTICAL EXAMINATION IMPALED OBJECT

<i>Coordinator Use Only</i>		
	Pass	Fail
# _____	<input type="checkbox"/>	<input type="checkbox"/>
# _____	<input type="checkbox"/>	<input type="checkbox"/>
Signature: _____		

Date: _____ Course: _____ Location: _____

Candidate # _____ Name: _____

Candidate # _____ Name: _____

TL #: _____

	Points Awarded <i>(one point per line)</i>
Takes or verbalizes body substance isolation precautions/scene safety (S.A.) <i>(NOTE: One point is awarded if candidate considered this in the trauma assessment scenario)</i>	
Directs stabilization of impaled object <i>(S.A. if impaled item is moved excessively/into patient throughout scenario; S.A. if item is removed or pushed in further)</i>	
Exposes wound and define margins of wound/impaled object	
Evaluates for exit wound	
Controls bleeding, if required <i>(NOTE: If not applicable, one point should be awarded)</i>	
Applies dressings to stabilize wounds	
Bandages dressings to maintain stabilization of impaled object	
Verbalizes moving the patient to a long board	
<i>Total possible points: 8; 5 are required to pass</i> TOTAL:	

Significant Actions (S.A.): *(NOTE: The rationale for checking any significant action must be documented on this form)*

Failure to verbalize/take BSI precautions/scene safety
 Excessive movement of impaled object throughout scenario

Removal of impaled object
 Pushing of impaled object further into patient

Evaluator Comments:

Examiner Name: _____

Signature: _____



**EMT-B PRACTICAL EXAMINATION
IMMOBILIZATION SKILLS
JOINT INJURY**

<i>Coordinator Use Only</i>		
	Pass	Fail
# _____	<input type="checkbox"/>	<input type="checkbox"/>
# _____	<input type="checkbox"/>	<input type="checkbox"/>
Signature: _____		

Date: _____ Course: _____ Location: _____

Candidate # _____ Name: _____

Candidate # _____ Name: _____

<input type="checkbox"/> Bent elbow
<input type="checkbox"/> Bent knee
<input type="checkbox"/> Straight knee
<input type="checkbox"/> Straight elbow

TL #: _____

	Points Awarded (one point per line)
Takes or verbalizes body substance isolation precautions/scene safety (S.A.) (NOTE: One point is awarded if candidate considered this in the trauma assessment scenario)	
Directs application of manual stabilization of the injury	
Assesses distal pulse, motor, or sensation (S.A.)	
Selects proper splinting material	
Immobilizes the site of the injury (S.A. if the immobilization did not support the joint so that it did not bear distal weight)	
Immobilizes bone above injured joint (S.A. if the joint above is not immobilized)	
Immobilizes bone below injured joint (S.A.)	
Immobilizes hand/foot in the position of function	
Applies sling and swathe where appropriate (NOTE: if not applicable, award one point)	
Reassesses distal pulse, motor, or sensation (S.A.)	
<i>Total possible points: 10; 7 are required to pass</i> TOTAL:	

Significant Actions (S.A.): *(NOTE: The rationale for checking any significant action must be documented on this form)*

- Failure to verbalize/take BSI precautions/scene safety
- Did not support the joint so that it did not bear distal weight
- Did not immobilize bone above and below injured joint
- Did not assess distal pulse, motor, or sensation before splinting
- Did not reassess distal pulse, motor, or sensation after splinting

Evaluator Comments:

Examiner Name: _____

Signature: _____



**EMT-B PRACTICAL EXAMINATION
IMMOBILIZATION SKILLS
LONG BONE**

<i>Coordinator Use Only</i>		
	Pass	Fail
# _____	<input type="checkbox"/>	<input type="checkbox"/>
# _____	<input type="checkbox"/>	<input type="checkbox"/>
Signature: _____		

Date: _____ Course: _____ Location: _____

Candidate # _____ Name: _____

Candidate # _____ Name: _____

<input type="checkbox"/> Tibia/Fibula
<input type="checkbox"/> Humerus
<input type="checkbox"/> Radius/Ulna
<input type="checkbox"/> Crushed Femur

TL #: _____

	Points Awarded (one point per line)
Takes or verbalizes body substance isolation precautions/scene safety (S.A.) (NOTE: One point is awarded if candidate considered this in the trauma assessment scenario)	
Directs application of manual stabilization (S.A. if extremity is grossly moved throughout immobilization process)	
Assesses entire extremity and distal pulse, motor, and sensation (S.A.)	
Selects appropriate splinting material	
Immobilizes the site of injury	
Immobilizes the joint above the injury site (S.A.)	
Immobilizes the joint below the injury site (S.A.)	
Immobilizes hand/foot in the position of function	
Sling and swathe where appropriate (NOTE: if not applicable, award one point)	
Reassesses distal pulse, motor, and sensation (S.A.)	
<i>Total possible points: 10; 7 are required to pass</i> TOTAL:	

Significant Actions (S.A.): *(NOTE: The rationale for checking any significant action must be documented on this form)*

- Failure to verbalize/take BSI precautions/scene safety
- Did not assess distal pulse, motor, and sensation before splinting
- Did not reassess distal pulse, motor, and sensation after splinting

- Grossly moves injured extremity
- Did not immobilize adjacent joints

Evaluator Comments:

Examiner Name: _____

Signature: _____

07/2006



**EMT-B PRACTICAL EXAMINATION
PATIENT ASSESSMENT/MANAGEMENT – MEDICAL**

<i>Coordinator Use Only</i>		
Pass	Fail	
# _____	<input type="checkbox"/>	<input type="checkbox"/>
Signature: _____		

Date: _____ Course: _____ Location: _____

Candidate # _____ Name: _____

Scenario #: _____
TL #: _____

		Points Awarded (one point per line)
Takes or verbalizes body substance isolation precautions (S.A.)		
SCENE SIZE-UP		
Determines the scene is safe (S.A.)		
Determines the mechanism of injury/nature of illness		
Determines the number of patients		
Requests additional help if necessary		
Verbalizes consideration of C-spine stabilization (<i>NOTE: Point should be awarded if verbalized or in the event that spinal precautions are not necessary</i>)		
INITIAL ASSESSMENT		
Verbalizes general impression of patient		
Determines responsiveness/AVPU		
Determines chief complaint/apparent life threats (<i>S.A. if life threats are not at least verbally addressed</i>)		
Assesses airway and breathing (<i>S.A. if initial assessment not done until after physical exam/assessment of rest of body</i>)	Assessment of airway and breathing	
	Initiates appropriate oxygen therapy, if indicated (<i>S.A. if not done, verbalized, or if delayed</i>)(<i>NOTE: Point should be awarded if oxygen therapy is not indicated for the patient</i>)	
	Assures adequate ventilation (<i>S.A. if not done, implied, or if delayed</i>)	
Assesses circulation	Assesses pulse(s)	
	Assesses/controls major bleeding	
	Assesses skin (color, temperature and condition)	
Identifies patient priority/makes transport decision (<i>S.A. for delayed scene times with critical patient</i>)		

FOCUSED HISTORY AND PHYSICAL EXAM/RAPID ASSESSMENT	
Performs appropriate assessment (focused or rapid assessment)	
Obtains SAMPLE history and, if applicable, OPQRST	
Requests/verbalizes vital signs	
Interventions - Obtains medical direction or verbalizes standing order for medications and/or intervention/treatment (<i>S.A. if dangerous or inappropriate intervention/medication error</i>)	
Verbalizes consideration of completing a detailed physical examination	
ONGOING ASSESSMENT	
Repeats initial assessment & vital signs (verbalized)	
Repeats focused assessment regarding patient complaint	
Checks interventions	
<i>Total possible points: 24; 17 are required to pass</i> TOTAL:	

Significant Actions (S.A.): (*NOTE: The rationale for checking any significant action must be documented on this form*)

- | | |
|---|---|
| <input type="checkbox"/> Failure to verbalize/take BSI precautions | <input type="checkbox"/> Failure to determine scene safety |
| <input type="checkbox"/> Dangerous/inappropriate intervention/medication error | <input type="checkbox"/> Failure to find and/or address life threats or chief complaint |
| <input type="checkbox"/> Completion of physical exam/assessment before initial assessment | <input type="checkbox"/> Failure to initiate/verbalize or delayed initiation of oxygen, if applicable |
| <input type="checkbox"/> Failure to assure adequate ventilation | <input type="checkbox"/> Failure to initiate immediate transport with critical patient |

Evaluator Comments:

Examiner Name: _____

Signature: _____



**EMT-B PRACTICAL EXAMINATION
PATIENT ASSESSMENT/MANAGEMENT – TRAUMA**

Date: _____ Course: _____ Location: _____

Candidate # _____ Name: _____

Candidate # _____ Name: _____

<i>Coordinator Use Only</i>		
	Pass	Fail
# _____	<input type="checkbox"/>	<input type="checkbox"/>
# _____	<input type="checkbox"/>	<input type="checkbox"/>
Signature: _____		

Scenario #: _____
TL #: _____

		Points Awarded <i>(one point per line)</i>
Takes or verbalizes body substance isolation precautions (S.A.)		
SCENE SIZE-UP		
Determines the scene is safe (S.A.)		
Determines the mechanism of injury/nature of illness		
Determines the number of patients		
Requests additional help if necessary		
Consider/initiates stabilization of spine (S.A. <i>if C-spine precautions should have been taken and were not</i>)		
INITIAL ASSESSMENT		
Verbalizes general impression of patient		
Determines responsiveness/AVPU		
Determines chief complaint/apparent life threats (S.A. <i>if life threats are not at least verbally addressed</i>)		
Assesses airway and breathing (S.A. <i>if initial assessment not done until after physical exam/assessment of rest of body</i>)	Assessment of airway and breathing	
	Initiates appropriate oxygen therapy, if indicated (S.A. <i>if not done, verbalized, or if delayed</i>) <i>(NOTE: Point should be awarded if oxygen therapy is not indicated for the patient)</i>	
	Assures adequate ventilation (S.A. <i>if not done, implied, or if delayed</i>)	
Assesses circulation	Assesses pulse(s)	
	Assesses/controls major bleeding	
	Assesses skin (color, temperature and condition)	
Identifies patient priority/makes transport decision (S.A. <i>for delayed scene times with critical patient</i>)		
FOCUSED HISTORY AND PHYSICAL EXAM/RAPID ASSESSMENT		
Performs appropriate assessment (focused or rapid assessment)		
Requests/verbalizes vital signs		
Obtains SAMPLE history		

DETAILED PHYSICAL EXAMINATION		
Assesses the head	Inspects and palpates the scalp and ears	
	Assesses the eyes	
	Assesses the facial area including oral and nasal areas	
Assesses the neck	Inspects and palpates the neck	
	Assesses for JVD	
	Assesses for tracheal deviation	
Assesses the chest	Inspects	
	Palpates	
	Auscultates the chest	
Assesses the abdomen/pelvis	Assesses the abdomen	
	Assesses the pelvis	
	Verbalizes assessment/inspection of genitalia	
Assesses the extremities	Includes inspection, palpation, and PMS for all extremities	
Assesses the posterior	Inspect/palpate posterior surface	
Identifies injuries/wounds and verbalizes appropriate order of treatment		
ONGOING ASSESSMENT		
Repeats initial assessment & vital signs (verbalized)		
Repeats focused assessment regarding patient complaint or injuries		
Checks interventions		
		<i>Total possible points: 37; 26 are required to pass</i> TOTAL:

Significant Actions (S.A.): (NOTE: The rationale for checking any significant action must be documented on this form)

- | | |
|---|---|
| <input type="checkbox"/> Failure to verbalize/take BSI precautions | <input type="checkbox"/> Failure to determine scene safety |
| <input type="checkbox"/> Failure to consider C-spine stabilization, if applicable | <input type="checkbox"/> Failure to find and/or address life threats or chief complaint |
| <input type="checkbox"/> Completion of physical exam/assessment before initial assessment | <input type="checkbox"/> Failure to initiate or delayed initiation of oxygen |
| <input type="checkbox"/> Failure to assure adequate ventilation | <input type="checkbox"/> Failure to assess/control major bleeding |
| <input type="checkbox"/> Failure to initiate immediate transport with critical patient | |

Evaluator Comments:

Examiner Name: _____

Signature: _____



**EMT-B PRACTICAL EXAMINATION
SPINAL IMMOBILIZATION
SEATED PATIENT**

<i>Coordinator Use Only</i>		
	Pass	Fail
# _____	<input type="checkbox"/>	<input type="checkbox"/>
# _____	<input type="checkbox"/>	<input type="checkbox"/>
Signature: _____		

Date: _____ Course: _____ Location: _____

Candidate # _____ Name: _____

Candidate # _____ Name: _____

TL #: _____

	Points Awarded (one point per line)
Takes or verbalizes body substance isolation precautions/scene safety (S.A.) (NOTE: One point is awarded if candidate considered this in the trauma assessment scenario)	
Confirms patient's head is in neutral in-line position (S.A. if C-spine is not maintained throughout the entire scenario)	
Assesses distal pulse, motor, and sensation (S.A.)	
Assesses neck, measures and applies appropriate size extrication collar	
Positions the immobilization device appropriately	
Secures the device to the patient's torso	
Evaluates torso fixation and adjusts as necessary (S.A. if torso fixation inhibits chest rise, resulting in respiratory compromise)	
Evaluates and pads behind the patient's head as necessary	
Secures the patient's head to the device (S.A. if patient is moved or manipulated excessively throughout scenario; S.A. if immobilization allows for excessive movement; S.A. if head is not in neutral alignment at completion of scenario; S.A. if head is immobilized to the device before the torso)	
Secures or verbalizes securing patient's extremities	
Verbalizes moving the patient to a long board	
Adjusts/verbalize adjusting straps once patient is moved to board (S.A. if device moves excessively up, down, left, or right on patient's torso)	
Reassesses distal pulse, motor, and sensation (S.A.)	
<i>Total possible points: 13; 9 are required to pass</i> TOTAL:	

Significant Actions (S.A.): *(NOTE: The rationale for checking any significant action must be documented on this form)*

- Failure to verbalize/take BSI precautions/scene safety
- Released or ordered release of manual immobilization before it was maintained mechanically
- Patient manipulated or moved excessively, causing potential spinal compromise
- Device moves excessively up, down, left, or right on patient's torso
- Head immobilization allows for excessive movement
- Torso fixation inhibits chest rise, resulting in respiratory compromise
- Upon completion of immobilization, head is not in the neutral in-line position
- Did not assess distal pulse, motor, and sensation before immobilization
- Did not reassess distal pulse, motor, and sensation after immobilization
- Immobilized head to the board before securing torso

Evaluator Comments:

Examiner Name: _____

Signature: _____



**EMT-B PRACTICAL EXAMINATION
SPINAL IMMOBILIZATION
SUPINE PATIENT**

<i>Coordinator Use Only</i>		
	Pass	Fail
# _____	<input type="checkbox"/>	<input type="checkbox"/>
# _____	<input type="checkbox"/>	<input type="checkbox"/>
Signature: _____		

Date: _____ Course: _____ Location: _____

Candidate # _____ Name: _____

Candidate # _____ Name: _____

TL #: _____

	Points Awarded <i>(one point per line)</i>
Takes or verbalizes body substance isolation precautions/scene safety (S.A.) (NOTE: One point is awarded if candidate considered this in the trauma assessment scenario)	
Confirms that patient's head is in neutral in-line position (S.A. if C-spine is not maintained throughout the entire scenario)	
NOTE: C-spine stabilization should already be taken from the patient assessment trauma scenario	
Assesses neck and distal pulse, motor, and sensation (S.A.) (NOTE: One point is awarded if candidate considered this in the trauma assessment scenario)	
Measures and applies appropriate size extrication collar	
Positions the immobilization device in proximity of the patient	
Directs movement of the patient onto device without compromising the integrity of the spine (S.A. if patient is moved or manipulated excessively throughout scenario)	
Applies padding to all voids as necessary	
Immobilizes the patient's torso and extremities to the device	
Immobilizes the patient's head to the device (S.A. if head is not in neutral in-line position upon completion of the scenario; S.A. if head is secured to the device before the torso)	
Reassesses distal pulse, motor, and sensation (S.A.)	
<i>Total possible points: 10; 7 are required to pass</i> TOTAL:	

Significant Actions (S.A.): *(NOTE: The rationale for checking any significant action must be documented on this form)*

- Failure to verbalize/take BSI precautions/scene safety
- Released or ordered release of manual stabilization before it was maintained mechanically
- Patient manipulated or moved excessively, causing potential spinal compromise
- Patient moves excessively up, down, left, or right on the device
- Head immobilization allows for excessive movement
- Upon completion of immobilization, patient is not in the neutral in-line position
- Did not assess distal pulse, motor, or sensation before immobilization to the device
- Did not reassess distal pulse, motor, or sensation after immobilization to the device
- Immobilized head to the board before securing torso

Evaluator Comments:

Examiner Name: _____

Signature: _____

07/2006



**EMT-B PRACTICAL EXAMINATION
IMMOBILIZATION SKILLS
TRACTION SPLINTING**

<i>Coordinator Use Only</i>		
	Pass	Fail
# _____	<input type="checkbox"/>	<input type="checkbox"/>
# _____	<input type="checkbox"/>	<input type="checkbox"/>
Signature: _____		

Date: _____ Course: _____ Location: _____

Candidate # _____ Name: _____

Candidate # _____ Name: _____

TL #: _____

	Points Awarded <i>(one point per line)</i>
Takes or verbalizes body substance isolation precautions/scene safety (S.A.) <i>(NOTE: One point is awarded if candidate considered this in the trauma assessment scenario)</i>	
Directs application of manual stabilization of the injured leg	
Assesses distal pulse, motor, and sensation (S.A.)	
Prepares/adjusts splint according to manufacturer instructions	
Positions the splint on the injured leg	
Directs the application of manual traction	
Applies the proximal securing device (e.g., ischial strap) (S.A. <i>if not done before taking mechanical traction</i>)	
Applies the distal securing device (e.g., ankle hitch)	
Applies mechanical traction until the patient gets relief and until mechanical traction meets manual traction (S.A. <i>if loss of traction prior to application of mechanical traction; S.A. if the leg is secured to splint before applying mechanical traction</i>)	
Positions/secures the support straps	
Re-evaluates the entire device (S.A. <i>if the foot is excessively rotated or extended after splinting; S.A. if final immobilization failed to support the femur or prevent rotation of the injured leg</i>)	
Reassess distal pulse, motor, and sensation (S.A.)	
NOTE: The examiner must ask candidate how he/she would prepare the patient for transportation	
Verbalizes securing the torso to the long board to immobilize the hip	
Verbalizes securing the splint to the long board to prevent movement of the splint	
<i>Total possible points: 14; 10 are required to pass</i> TOTAL:	

Significant Actions (S.A.): (NOTE: The rationale for checking any significant action must be documented on this form)

- Failure to verbalize/take BSI precautions/scene safety
- Loss of traction at any point after it is assumed
- Did not assess distal pulse, motor, and sensation after splinting
- Final immobilization failed to support the femur or prevent rotation of the injured leg
- The foot is excessively rotated or extended after splinting
- Did not reassess distal pulse, motor, and sensation before splinting
- Did not secure the ischial strap before taking traction
- Secured leg to splint before applying mechanical traction

NOTE: If the Sager Splint, Kendrick Traction Device or other similar devices are used without elevating the patient's leg, application of manual traction is not necessary. The candidate should be awarded 1 point as if manual traction were applied.

NOTE: If the leg is elevated at all, manual traction must be applied before elevating the leg. The ankle hitch may be applied before elevating the leg and used to provide manual traction.

Evaluator Comments:

Examiner Name: _____

Signature: _____



EMT-B PRACTICAL EXAMINATION UNWITNESSED CARDIAC ARREST MANAGEMENT/AED

Date: _____ Course: _____ Location: _____

Candidate # _____ Name: _____

Candidate # _____ Name: _____

<i>Coordinator Use Only</i>		
	Pass	Fail
# _____	<input type="checkbox"/>	<input type="checkbox"/>
# _____	<input type="checkbox"/>	<input type="checkbox"/>
Signature: _____		

Scenario #: _____
TL #: _____

	Points Awarded <i>(one point per line)</i>
ASSESSMENT & TREATMENT	
Takes or verbalizes body substance isolation precautions/scene safety (<i>S.A.</i>)	
Verbalizes general impression of patient	
Determines responsiveness/level of consciousness	
Opens airway using appropriate method based on scenario (<i>S.A. if airway not opened or if delayed</i>)	
Assesses breathing	
Verbalizes and/or inserts an airway adjunct	
Gives 2 breaths (ensures noticeable chest rise)	
Assesses pulse (<i>S.A. if pulse not assessed prior to beginning CPR</i>)	
Initiates 5 cycles of CPR (ensures adequate compression depth w/full chest recoil) (<i>S.A. for delayed initiation of CPR once pulselessness is determined</i>)	
Second rescuer readies AED while first rescuer continues CPR (<i>S.A. if inappropriate or dangerous technique</i>)	
After 5 cycles of CPR, clears patient for rhythm analysis (<i>S.A. if delayed use of AED once two minutes of CPR have been provided</i>)	
Initiates one shock if indicated (<i>S.A. if inappropriate or dangerous technique</i>) (<i>NOTE: Interruptions in CPR should be minimized and CPR should continue while AED is prepared to shock</i>)	
Resumes 5 cycles of CPR beginning with chest compressions (<i>S.A. if improper CPR technique including depth, rate and/or ratio</i>)	
Clears patient for rhythm analysis	
Initiates one shock if indicated (<i>NOTE: Interruptions in CPR should be minimized</i>) (<i>S.A. if inappropriate or dangerous technique</i>)	
Resumes 5 cycles of CPR beginning with chest compressions	
Clears patient for rhythm analysis	
Initiates one shock if indicated (<i>NOTE: Interruptions in CPR should be minimized</i>) (<i>S.A. if inappropriate or dangerous technique</i>)	
TRANSPORTATION	
Verbalizes transportation of patient and attempt rendezvous with ALS	
<i>Total possible points: 19; 13 are required to pass</i> TOTAL:	

Significant Actions (S.A.): *(NOTE: The rationale for checking any significant action must be documented on this form)*

- Did not take or verbalize body substance isolation precautions
- Did not open airway or delayed the opening of the airway
- Delayed use of AED once two minutes of CPR have been provided
- Improper CPR technique including compression depth, rate and/or ratio

- Delayed start of CPR once pulselessness is determined
- Did not assess the pulse prior to beginning CPR
- Inappropriate or dangerous technique with AED

Evaluator Comments:

Examiner Name: _____

Signature: _____



EMT-B PRACTICAL EXAMINATION WITNESSED CARDIAC ARREST MANAGEMENT/AED

Date: _____ Course: _____ Location: _____

Candidate # _____ Name: _____

Candidate # _____ Name: _____

<i>Coordinator Use Only</i>		
	Pass	Fail
# _____	<input type="checkbox"/>	<input type="checkbox"/>
# _____	<input type="checkbox"/>	<input type="checkbox"/>
Signature: _____		

Scenario #: _____
TL #: _____

	Points Awarded <i>(one point per line)</i>
ASSESSMENT & TREATMENT	
Takes or verbalizes body substance isolation precautions/scene safety (<i>S.A.</i>)	
Verbalizes general impression of patient	
Determines responsiveness/level of consciousness	
Opens airway using appropriate method based on scenario (<i>S.A. if airway not opened or if delayed</i>)	
Assesses breathing	
Verbalizes and/or inserts an airway adjunct	
Gives 2 breaths (ensures noticeable chest rise)	
Assesses pulse (<i>S.A. if pulse not assessed prior to beginning CPR</i>)	
Readies AED (<i>S.A. if inappropriate or dangerous technique; S.A. for delayed use of AED with witnessed arrest</i>)	
Clears patient for rhythm analysis	
Initiates one shock if indicated (<i>NOTE: Interruptions in CPR should be minimized and CPR should continue while AED is prepared to shock</i>) (<i>S.A. if inappropriate or dangerous technique</i>)	
Initiates 5 cycles of CPR beginning with chest compressions (ensures adequate depth w/full chest recoil) (<i>S.A. if improper CPR technique including compression depth, rate and/or ratio</i>)	
Clears patient for rhythm analysis	
Initiates one shock if indicated (<i>S.A. if inappropriate or dangerous technique</i>) (<i>NOTE: Interruptions in CPR should be minimized</i>)	
Resumes 5 cycles of CPR beginning with chest compressions	
Clears patient for rhythm analysis	
Initiates one shock if indicated (<i>S.A. if inappropriate or dangerous technique</i>) (<i>NOTE: Interruptions in CPR should be minimized</i>)	
TRANSPORTATION	
Verbalizes transportation of patient and attempt rendezvous with ALS	
<i>Total possible points: 18; 13 are required to pass</i> TOTAL:	

Significant Actions (S.A.): *(NOTE: The rationale for checking any significant action must be documented on this form)*

- ___ Did not take or verbalize body substance isolation precautions
- ___ Did not open airway or delayed the opening of the airway
- ___ Improper CPR technique including compression depth, rate and/or ratio
- ___ Delayed use of AED with witnessed arrest

- ___ Did not assess the pulse prior to beginning CPR
- ___ Inappropriate or dangerous technique with AED

Evaluator Comments:

Examiner Name: _____

Signature: _____

07/2006